



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Vape Full Spectrum Pineapple Express

Matrix: Edible

Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

# Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31028007-002

Harvest/Lot ID: VFSPE4423

Batch#: VFSPE4423

Sample Size Received: 40 gram

Total Amount: 40 gram

Retail Product Size: 2 gram

Ordered: 10/26/23

Sampled: 10/28/23

Completed: 10/31/23

Sampling Method: SOP.T.20.010.FL

**PASSED**

Oct 31, 2023 | HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
 HOLLYWOOD, FL, 33020, US



Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
PASSED



Heavy Metals  
PASSED



Microbials  
PASSED



Mycotoxins  
PASSED



Residuals Solvents  
PASSED



Filtration  
PASSED



Water Activity  
NOT TESTED



Moisture  
NOT TESTED



Terpenes  
NOT TESTED

MISC.

**Cannabinoid** **PASSED**



**Total THC**  
**ND**  
 Total THC/Container : 0.00 mg



**Total CBD**  
**58.703%**  
 Total CBD/Container : 1174.06 mg



**Total Cannabinoids**  
**66.374%**  
 Total Cannabinoids/Container : 1327.48 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	58.703	ND	ND	1.012	ND	2.203	ND	0.484	3.972
mg/g	ND	ND	587.03	ND	ND	10.12	ND	22.03	ND	4.84	39.72
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 1665, 585, 4044      Weight: 0.1174g      Extraction date: 10/30/23 10:54:50      Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031      Reviewed On : 10/31/23 10:24:48  
 Analytical Batch : DA065862POT      Batch Date : 10/30/23 07:19:13  
 Instrument Used : DA-LC-007  
 Analyzed Date : 10/30/23 10:57:48

Dilution : 40  
 Reagent : 102723.R01; 121321.34; 102423.R03  
 Consumables : 947.109; 280670723; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 10/31/23



# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC

Sample : DA31028007-002  
Harvest/Lot ID : VFSPE4423

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Batch# : VFSPE4423  
Sample Size Received : 40 gram  
Total Amount : 40 gram  
Sampled : 10/28/23  
Completed : 10/31/23 Expires: 10/31/24  
Ordered : 10/28/23  
Sample Method : SOP Client Method

Page 2 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRETHRIN I	0.010	ppm	1	PASS	ND
ACEQUINOXYL	0.010	ppm	2	PASS	ND	PYRETHRIN II	0.010	ppm	1	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	3379, 585, 4044	0.2611g	10/30/23 15:16:44	3379		
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Analysis Method :					
FENHEXAMID	0.010	ppm	3	PASS	ND	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Analytical Batch :		Reviewed On :			
FIPRONIL	0.010	ppm	0.1	PASS	ND	DA065876PES		10/31/23 10:18:24			
FLONICAMID	0.010	ppm	2	PASS	ND	Instrument Used :		Batch Date :			
FLUDIOXONIL	0.010	ppm	3	PASS	ND	DA-LCMS-004 (PES)		10/30/23 09:42:21			
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analyzed Date :					
IMAZALIL	0.010	ppm	0.1	PASS	ND	10/30/23 15:26:10					
IMIDACLOPRID	0.010	ppm	3	PASS	ND	Dilution :					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	250					
MALATHION	0.010	ppm	2	PASS	ND	Reagent :					
METALAXYL	0.010	ppm	3	PASS	ND	102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables :					
METHOMYL	0.010	ppm	0.1	PASS	ND	326250IW					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette :					
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	DA-093; DA-094; DA-219					
NALED	0.010	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analized by: 3379, 585, 4044 Weight: 0.2611g Extraction date: 10/30/23 15:16:44 Extracted by: 3379  
 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)  
 Analytical Batch : DA065876PES Reviewed On : 10/31/23 10:18:24  
 Instrument Used : DA-LCMS-004 (PES) Batch Date : 10/30/23 09:42:21  
 Analyzed Date : 10/30/23 15:26:10  
 Dilution : 250  
 Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11  
 Consumables : 326250IW  
 Pipette : DA-093; DA-094; DA-219  
 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analized by: 450, 585, 4044 Weight: 0.2611g Extraction date: 10/30/23 15:16:44 Extracted by: 3379  
 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville)  
 Analytical Batch : DA065878VOL Reviewed On : 10/31/23 10:17:06  
 Instrument Used : DA-GCMS-001 Batch Date : 10/30/23 09:44:42  
 Analyzed Date : 10/30/23 17:46:19  
 Dilution : 250  
 Reagent : 102523.R11; 040521.11; 092523.R21; 092523.R22  
 Consumables : 326250IW; 14725401  
 Pipette : DA-080; DA-146; DA-218  
 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
10/31/23



# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC

 4095N 28TH WAY  
 HOLLYWOOD, FL, 33020, US  
 Telephone: (954) 505-4481  
 Email: admin@highrollerllc.com

Sample : DA31028007-002

Harvest/Lot ID: VFSPE4423

Batch# : VFSPE4423

Sampled : 10/28/23

Ordered : 10/28/23

Sample Size Received : 40 gram

Total Amount : 40 gram

Completed : 10/31/23 Expires: 10/31/24

Sample Method : SOP Client Method

Page 3 of 5



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	5	PASS	ND
ACETONE	75.000	ppm	5000	PASS	ND
DICHLOROMETHANE	12.500	ppm	600	PASS	ND
BENZENE	0.100	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	60	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	5000	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	2000	PASS	ND
ACETONITRILE	6.000	ppm	410	PASS	ND
ETHYL ETHER	50.000	ppm	5000	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	3000	PASS	ND
N-HEXANE	25.000	ppm	290	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	890	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	2100	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	80	PASS	ND
XYLENES-M&P (1,3&1,4-DIMETHYLBENZENE)	27.000	ppm	2170	PASS	ND
XYLENES-O (1,2-DIMETHYLBENZENE)	13.500	ppm	2170	PASS	ND

Analyzed by: 850, 585, 4044	Weight: 0.0287g	Extraction date: 10/31/23 14:59:36	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA065882SOL Instrument Used : DA-GCMS-002 Analyzed Date : 10/31/23 13:59:51	Reviewed On : 10/31/23 15:52:06 Batch Date : 10/30/23 17:00:16
---	---

 Dilution : 1  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC

Sample : DA31028007-002

Harvest/Lot ID: VFSPE4423

Batch# : VFSPE4423

Sampled : 10/28/23

Ordered : 10/28/23

Sample Size Received : 40 gram

Total Amount : 40 gram

Completed : 10/31/23 Expires: 10/31/24

Sample Method : SOP Client Method

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
<b>Analyzed by:</b> 3390, 3336, 585, 4044 <b>Weight:</b> 0.8145g <b>Extraction date:</b> 10/29/23 12:50:59 <b>Extracted by:</b> 3963,3390 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA065850MIC <b>Reviewed On :</b> 10/31/23 14:02:06 <b>Instrument Used :</b> PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020.fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 <b>Batch Date :</b> 10/29/23 11:07:22 <b>Analyzed Date :</b> 10/30/23 19:32:18 <b>Dilution :</b> N/A <b>Reagent :</b> 083123.134; 083123.170; 100423.R40; 081023.03 <b>Consumables :</b> 7566004001 <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 3379, 585, 4044 <b>Weight:</b> 0.2611g <b>Extraction date:</b> 10/30/23 15:16:44 <b>Extracted by:</b> 3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA065877MYC <b>Reviewed On :</b> 10/31/23 09:58:14 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 10/30/23 09:44:39 <b>Analyzed Date :</b> 10/30/23 15:26:51 <b>Dilution :</b> 250 <b>Reagent :</b> 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 3390, 3336, 585, 4044 <b>Weight:</b> 0.8145g <b>Extraction date:</b> 10/29/23 12:50:59 <b>Extracted by:</b> 3963,3390 <b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL <b>Analytical Batch :</b> DA065859TYM <b>Reviewed On :</b> 10/31/23 14:22:52 <b>Instrument Used :</b> Incubator (25-27C) DA-097 <b>Batch Date :</b> 10/29/23 12:53:29 <b>Analyzed Date :</b> 10/30/23 19:31:14 <b>Dilution :</b> 10 <b>Reagent :</b> 083123.134; 101723.R10 <b>Consumables :</b> N/A <b>Pipette :</b> N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1879, 1022, 585, 4044 <b>Weight:</b> 0.2394g <b>Extraction date:</b> 10/29/23 14:16:21 <b>Extracted by:</b> 4306,1022 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA065841HEA <b>Reviewed On :</b> 10/31/23 11:56:58 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 10/28/23 13:13:07 <b>Analyzed Date :</b> 10/30/23 14:39:44 <b>Dilution :</b> 50 <b>Reagent :</b> 102723.R12; 101123.R29; 102723.R15; 101823.R29; 102723.R13; 102723.R14; 101123.R28; 101123.R27 <b>Consumables :</b> 179436; 210508058; 12594-247CD-247C <b>Pipette :</b> DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
10/31/23



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs

Vape Full Spectrum Pineapple Express

N/A

Matrix : Edible



Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
 HOLLYWOOD, FL, 33020, US  
 Telephone: (954) 505-4481  
 Email: admin@highrollerllc.com

Sample : DA31028007-002  
 Harvest/Lot ID: VFSP4423

Batch# : VFSP4423  
 Sampled : 10/28/23  
 Ordered : 10/28/23

Sample Size Received : 40 gram  
 Total Amount : 40 gram  
 Completed : 10/31/23 Expires: 10/31/24  
 Sample Method : SOP Client Method

Page 5 of 5

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 4044	NA	N/A	N/A

Analysis Method : SOP.T.40.090	Reviewed On : 10/28/23 21:28:43
Analytical Batch : DA065826FIL	Batch Date : 10/28/23 10:17:39
Instrument Used : Filth/Foreign Material Microscope	
Analyzed Date : 10/28/23 13:03:02	

Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

Signature  
 10/31/23